









Drehspul-Messgeräte

für Gleichstrom

ab 1.4.2018
zzgl. 3,8 %
Teuerungszuschlag

Quadratischer Durchbruch
Klasse 1,5

Type								
			NP 72	NP 96	PQ 48 DIN	PQ 72 DIN	PQ 96 DIN	PQ 144 DIN
Frontrahmen (mm)			72 x 72	96 x 96	48 x 48	72 x 72	96 x 96	144 x 144
Durchbruch (mm)			68 x 68	92 x 92	45 x 45	68 x 68	92 x 92	138 x 138
Skalenlänge (mm)			62	90	42	62	90	130
Gewicht (kg)			0,20	0,25	0,10	0,26	0,30	0,70
Messbereichendwert			€		€		€	
		$R_i / \Delta U$						
µA	100	4355 Ω						
	150	2200 Ω	68,70		80,50		105,00	
	250	900 Ω						
	400	306 Ω	60,40		72,20		96,70	
	600	177 Ω						
mA	1	53 Ω						
	1,5	23 Ω						
	2,5	9 Ω	54,20		66,00		90,50	
	4	6,5 Ω						
	6	3,5 Ω						
	10	2,5 Ω						
	15	1,3 Ω	54,20		66,00		90,50	
	25	60 mV						
	40	60 mV						
	60	60 mV						
A	100	60 mV						
	150	60 mV						
	250	60 mV	54,20		66,00		90,50	
	400	60 mV						
	600	60 mV						
	1	60 mV						
	1,5	60 mV						
	2,5	60 mV	56,30		68,10		92,60	
4	60 mV							
6	60 mV							
10	60 mV							
15	60 mV							
25	60 mV	66,70		78,50		103,00		
an Nebenwiderstand								
mV	60	12 Ω	54,20		66,00		90,50	
	100	20 Ω						
	150	30 Ω						
an Messumformer								
mA	0-20	2,2 Ω	54,20		66,00		90,50	
	4-20	50 Ω	70,30		82,10		106,60	
V	0-10	10 kΩ	54,20		66,00		90,50	